



Customer: Tropiceel
 237 SE Miller Ave
 Roseburg Oregon 97470
 United States of America (USA)
Product identity: UGLI BUTTER HEMP CBG - PULSE
Metrc ID: UBP-4 TOPICAL 4OZ JAR
Metrc Source ID: UBP-4
Material: Cannabinoid Topical
Laboratory ID: 26-008994-0003
Evidence of Cooling: No
Temp: 24.1 °C
Lot #: 0101UBP24
Serving Size #1: 1 g

Sample Results

Potency		Method: J AOAC 2015 V98-6 (mod) ^b			Batch: 2605865		Analyzed: 07/29/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1			
					Result	Units	LOQ	
CBC	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
CBC-A	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
CBC-Total	< LOQ	%	0.0060		< LOQ	mg/1g	0.0595	
CBD [±]	0.0175	%	0.0032		0.175	mg/1g	0.0317	
CBD-A [±]	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
CBD-Total [±]	0.0175	%	0.0060		0.175	mg/1g	0.0595	
CBDV	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
CBDV-A	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
CBDV-Total	< LOQ	%	0.0059		< LOQ	mg/1g	0.0592	
CBE	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
CBG	0.0455	%	0.0032		0.455	mg/1g	0.0317	
CBG-A	0.0108	%	0.0032		0.108	mg/1g	0.0317	
CBG-Total	0.0550	%	0.0059		0.550	mg/1g	0.0592	
CBL	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
CBL-A	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
CBL-Total	< LOQ	%	0.0060		< LOQ	mg/1g	0.0595	
CBN	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
CBT	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
Δ10-THC-9R	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
Δ10-THC-9S	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
Δ10-THC-Total	< LOQ	%	0.0063		< LOQ	mg/1g	0.0634	
Δ8-THC [±]	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
Δ8-THCV	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
Δ9-THC [±]	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
Δ9-THC-A [±]	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
Δ9-THC-Total [±]	< LOQ	%	0.0060		< LOQ	mg/1g	0.0595	
Δ9-THCP	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
Δ9-THCV	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	
Δ9-THCV-A	< LOQ	%	0.0032		< LOQ	mg/1g	0.0317	



Potency	Method: J AOAC 2015 V98-6 (mod) ^b	Batch: 2605865	Analyzed: 07/29/26
----------------	---	-----------------------	---------------------------

Analyte	Result	Units	LOQ	Notes	Serving Size #1	Result	Units	LOQ
Δ9-THCV-Total	< LOQ	%	0.0059			< LOQ	mg/1g	0.0592
exo-THC	< LOQ	%	0.0032			< LOQ	mg/1g	0.0317
Total Cannabinoids	0.0769	%				0.769	mg/1g	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Salmonella spp. [±]	Negative		/25g		2605711	07/25/26 AOAC 2020.02 ^b		
EHEC including STEC [±]	Negative		/25g		2605712	07/25/26 AOAC 2020.06 ^b		

Solvents	Method: Residual Solvents by HS-GC-MS ^b	Units µg/g	Batch 2605789	Analyze: 07/29/26
-----------------	---	-------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane [±]	< LOQ	380	100	pass		2-Butanol [±]	< LOQ	5000	200	pass	
2-Ethoxyethanol [±]	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane) [±]	< LOQ		200		
2-Methylpentane [±]	< LOQ		30.0			2-Propanol (IPA) [±]	< LOQ	5000	200	pass	
2,2-Dimethylbutane [±]	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane) [±]	< LOQ		200		
2,3-Dimethylbutane [±]	< LOQ		30.0			3-Methylpentane [±]	< LOQ		30.0		
Acetone [±]	< LOQ	5000	200	pass		Acetonitrile [±]	< LOQ	410	100	pass	
Benzene [±]	< LOQ	2.00	1.00	pass		Butanes (sum) [±]	< LOQ	5000	400	pass	
Cyclohexane [±]	< LOQ	3880	200	pass		Ethyl acetate [±]	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether [±]	< LOQ	5000	200	pass	
Ethylene glycol [±]	< LOQ	620	200	pass		Ethylene oxide [±]	< LOQ	50.0	20.0	pass	
Hexanes (sum) [±]	< LOQ	290	150	pass		Isopropyl acetate [±]	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene) [±]	< LOQ	70.0	30.0	pass		m,p-Xylene [±]	< LOQ		200		
Methanol [±]	< LOQ	3000	200	pass		Methylene chloride [±]	< LOQ	600	60.0	pass	
Methylpropane (Isobutane) [±]	< LOQ		200			n-Butane [±]	< LOQ		200		
n-Heptane [±]	< LOQ	5000	200	pass		n-Hexane [±]	< LOQ		30.0		
n-Pentane [±]	< LOQ		200			o-Xylene [±]	< LOQ		200		
Pentanes (sum) [±]	< LOQ	5000	600	pass		Propane [±]	< LOQ	5000	200	pass	
Tetrahydrofuran [±]	< LOQ	720	100	pass		Toluene [±]	< LOQ	890	100	pass	
Total Xylenes [±]	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	

Pesticides	Method: AOAC 2007.01 & EN 15662 (mod)	Units mg/kg	Batch 2605782	Analyze: 07/29/26
-------------------	--	--------------------	----------------------	--------------------------

Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [±]	< LOQ	0.50	0.250	pass		Acephate [±]	< LOQ	0.40	0.200	pass	
Acequinocyl [±]	< LOQ	2.0	1.00	pass		Acetamiprid [±]	< LOQ	0.20	0.100	pass	
Aldicarb [±]	< LOQ	0.40	0.200	pass		Azoxystrobin [±]	< LOQ	0.20	0.100	pass	
Bifenazate [±]	< LOQ	0.20	0.100	pass		Bifenthrin [±]	< LOQ	0.20	0.100	pass	
Boscalid [±]	< LOQ	0.40	0.200	pass		Carbaryl [±]	< LOQ	0.20	0.100	pass	
Carbofuran [±]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [±]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [±]	< LOQ	1.0	0.500	pass		Chlorpyrifos-ethyl [±]	< LOQ	0.20	0.100	pass	
Clofentezine [±]	< LOQ	0.20	0.100	pass		Cyfluthrin (sum) [±]	< LOQ	1.0	0.500	pass	
Cypermethrin (sum) [±]	< LOQ	1.0	0.500	pass		Daminozide [±]	< LOQ	1.0	0.500	pass	
Diazinon [±]	< LOQ	0.20	0.100	pass		Dichlorvos [±]	< LOQ	1.0	0.500	pass	
Dimethoate [±]	< LOQ	0.20	0.100	pass		Ethoprophos [±]	< LOQ	0.20	0.100	pass	



Pesticides										
Method: AOAC 2007.01 & EN 15662 (mod)						Units mg/kg	Batch 2605782	Analyze: 07/29/26		
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status
Etofenprox [±]	< LOQ	0.40	0.200	pass		Etoxazole [±]	< LOQ	0.20	0.100	pass
Fenoxycarb [±]	< LOQ	0.20	0.100	pass		Fenpyroximate [±]	< LOQ	0.40	0.200	pass
Fipronil [±]	< LOQ	0.40	0.200	pass		Flonicamid [±]	< LOQ	1.0	0.400	pass
Fludioxonil [±]	< LOQ	0.40	0.200	pass		Hexythiazox [±]	< LOQ	1.0	0.400	pass
Imazalil [±]	< LOQ	0.20	0.100	pass		Imidacloprid [±]	< LOQ	0.40	0.200	pass
Kresoxim-methyl [±]	< LOQ	0.40	0.200	pass		Malathion [±]	< LOQ	0.20	0.100	pass
Metalaxyl [±]	< LOQ	0.20	0.100	pass		Methiocarb [±]	< LOQ	0.20	0.100	pass
Methomyl [±]	< LOQ	0.40	0.200	pass		MGK-264 [±]	< LOQ	0.20	0.100	pass
Myclobutanil [±]	< LOQ	0.20	0.100	pass		Naled [±]	< LOQ	0.50	0.250	pass
Oxamyl [±]	< LOQ	1.0	0.500	pass		Paclobutrazole [±]	< LOQ	0.40	0.200	pass
Parathion-methyl [±]	< LOQ	0.20	0.100	pass		Permethrin [±]	< LOQ	0.20	0.100	pass
Phosmet [±]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [±]	< LOQ	2.0	1.00	pass
Prallethrin [±]	< LOQ	0.20	0.100	pass		Propiconazole [±]	< LOQ	0.40	0.200	pass
Propoxur [±]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [±]	< LOQ	1.0	0.500	pass
Pyridaben [±]	< LOQ	0.20	0.100	pass		Spinosad [±]	< LOQ	0.20	0.100	pass
Spiromesifen [±]	< LOQ	0.20	0.100	pass		Spirotetramat [±]	< LOQ	0.20	0.100	pass
Spiroxamine [±]	< LOQ	0.40	0.200	pass		Tebuconazole [±]	< LOQ	0.40	0.200	pass
Thiacloprid [±]	< LOQ	0.20	0.100	pass		Thiamethoxam [±]	< LOQ	0.20	0.100	pass
Trifloxystrobin [±]	< LOQ	0.20	0.100	pass						

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic [±]	< LOQ	0.200	mg/kg	0.0956	2605767	07/27/26 AOAC 2013.06 (mod.) ^b	pass	
Cadmium [±]	< LOQ	0.200	mg/kg	0.0956	2605767	07/27/26 AOAC 2013.06 (mod.) ^b	pass	
Lead [±]	< LOQ	0.500	mg/kg	0.0956	2605767	07/27/26 AOAC 2013.06 (mod.) ^b	pass	
Mercury [±]	< LOQ	0.100	mg/kg	0.0478	2605767	07/27/26 AOAC 2013.06 (mod.) ^b	pass	

Mycotoxins

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Aflatoxin B1 [±]	< LOQ		µg/kg	5.00	2605820	07/29/26 Mycotoxins by AOAC 2007.01		
Aflatoxin B2 [±]	< LOQ		µg/kg	5.00	2605820	07/29/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G1 [±]	< LOQ		µg/kg	5.00	2605820	07/29/26 Mycotoxins by AOAC 2007.01		
Aflatoxin G2 [±]	< LOQ		µg/kg	5.00	2605820	07/29/26 Mycotoxins by AOAC 2007.01		
Ochratoxin A [±]	< LOQ	20.0	µg/kg	5.00	2605820	07/29/26 Mycotoxins by AOAC 2007.01	pass	
Total Aflatoxins	< LOQ	20.0	µg/kg	20.0		07/30/26 Mycotoxins by AOAC 2007.01 ^b	pass	

**Abbreviations**

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Threshold Note: OAR 333-007-0400

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

Units of Measure

% wt = $\mu\text{g/g}$ divided by 10,000

/25g = Per 25g

$\mu\text{g/g}$ = Microgram per gram

$\mu\text{g/kg}$ = Micrograms per kilogram = parts per billion (ppb)

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

mg/1g = Milligram per 1g

Approved Signatory



Derrick Tanner
General Manager





12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 26-008994/D002.R000
Report Date: 07/30/2026
ORELAP#: OR100028
Received: 07/23/26 10:08



Hemp & Cannabis
Chain of Custody

Tropiceel-Products-
Inc-1783960675

Company Details Company: Tropiceel Products Inc Contact: Merrilyn Jovin Street Address: 237 SE Miller Ave, PO Box 940 City, State, Zip: Roseburg, OR 97470 Email: tropiceel.merrilyn@gmail.com Contact Phone: 5416807856 Company Phone: 541-673-2188 Billing Information Billing Phone: 541-673-2188 Billing Email: tropiceel.merrilyn@gmail.com					Project Details Report Turnaround Time: 5 Business Days Reg. For Micro Testing Standard Compliance : OLCC Compliance - Hemp Oregon law requires accredited lab sampling for all cannabinoid products solid in-state, excluding topicals. Select 'Sampling Event Request' under Relinquishment Options for compliance testing. : I've read and understood this requirement. Relinquishment Sampling, Courier & Shipping Options: By Shipping Service (USPS, UPS, Fedex) Receipt Information Evidence of Cooling?: No Sample Condition: Satisfactory Prelog Storage: Canna Shelves Sample Condition: resample for sample 3 received on 7/23 - amp					Testing
										CH005 - Oregon Package
#	Sample Name	Lot Additional Sample ID	Material	METRC Sample Package ID	METRC Source Package ID	Amount Provided	Reporting Unit	Serving Size	Specifications	
1	ULGI BUTTER - HEMP CBD DAYTIME	0118UBD	Cannabinoid Topical	UBD-4 TOPICAL 4OZ JAR	UBD-4	1 each	mg/g & mg/serving	1g	TESTING FOR TOPICAL	✓
2	UGLI BUTTER HEMP CBD-NIGHTTIME	0124UBN	Cannabinoid Topical	UBN-4 TOPICAL 4 OZ JAR	UBN-4	1 each	mg/g & mg/serving	1g	TESTING FOR TOPICAL	✓
3	UGLI BUTTER HEMP CBG - PULSE	0101UBP24	Cannabinoid Topical	UBP-4 TOPICAL 4OZ JAR	UBP-4	1 each	mg/g & mg/serving	1g	TESTING FOR TOPICAL	✓

Package Details

Oregon Package: Aflatoxins+Ochratoxin | OLCC • Cannabis Heavy Metals Profile OR • Micro Profile OR (OLCC Comp) • Pesticides (OR - Cannabis) • Potency Cannabis (Basic+Expanded) • Residual Solvents (Cannabis - Oregon)

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
Merrilyn E Jovin	07/13/2026	09:37	cnn	07/14/2026	09:47	23.10	CL-1243
			amp	07/23/2026	10:08	24.10	CL-0586

ID	Laboratory Order	Admin Submission Comment(s)	Name	Date, Time
1	26-008756	Cancel sample 3 per client email	cnn	07/22/2026 13:49
2	Pre-Import	Sample 3 accidentally opened before being sent to Micro department	cnn	07/14/2026 11:06

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories
12423 NE Whitaker Way
Portland, OR 97230

P: (503) 254-1794
info.cfi@tentamus.com

Page 1 of 1
www.columbialaboratories.com


Laboratory Quality Control Results

Residual Solvents				Batch ID: 2605789					
Method Blank				Laboratory Control Sample					
Analyte	Result	LOQ	Notes	Result	Spike	Units	% Rec	Limits	Notes
1,1-Dichloroethane	ND	< 1		0.805	1	µg/g	80.5	50-150	
1,1-Dichloroethene	ND	< 1		0.847	1	µg/g	84.7	50-150	
1,2-Dichloroethene, trans-	ND	< 1		0.864	1	µg/g	86.4	50-150	
1,2-dimethoxyethane	ND	< 50		161	175	µg/g	92.0	50-150	
1,4-Dioxane	ND	< 100		473	522	µg/g	90.6	60-120	
1-Butanol	ND	< 500		1360	1620	µg/g	84.0	50-150	
2,2-Dimethylbutane	ND	< 30		181	178	µg/g	101.7	60-120	
2,2-Dimethylpropane	ND	< 200		1060	951	µg/g	111.5	60-120	
2,3-Dimethylbutane	ND	< 30		206	175	µg/g	117.7	60-120	
2-Butanol	ND	< 200		1800	1630	µg/g	110.4	60-120	
2-Ethoxyethanol	ND	< 30		211	185	µg/g	114.1	60-120	
2-methyl-1-propanol	ND	< 500		1290	1610	µg/g	80.1	50-150	
2-Methylbutane	ND	< 200		1760	1620	µg/g	108.6	60-120	
2-Methylpentane	ND	< 30		189	172	µg/g	109.9	60-120	
2-Propanol	ND	< 200		1840	1620	µg/g	113.6	60-120	
3-Methylpentane	ND	< 30		190	172	µg/g	110.5	60-120	
Acetone	ND	< 200		1920	1640	µg/g	117.1	60-120	
Acetonitrile	ND	< 100		572	498	µg/g	114.9	60-120	
Benzene	ND	< 1		0.682	1	µg/g	68.2	50-150	
Butane	ND	< 200		900	766	µg/g	117.5	60-120	
Butyl Acetate	ND	< 500		1420	1610	µg/g	88.2	50-150	
Carbon Tetrachloride	ND	< 1		0.668	1	µg/g	66.8	50-150	
Chlorobenzene	ND	< 1		0.623	1	µg/g	62.3	50-150	
Cumene	ND	< 30		165	191	µg/g	86.4	60-120	
Cyclohexane	ND	< 200		1380	1630	µg/g	84.7	60-120	
Dichloromethane	ND	< 1		0.731	1	µg/g	73.1	50-150	
DMSO	ND	< 500		2080	1610	µg/g	129.2	50-150	
Ethanol	ND	< 200		1730	1640	µg/g	105.5	60-120	
Ethyl acetate	ND	< 200		1850	1630	µg/g	113.5	60-120	
Ethyl Ether	ND	< 200		1620	1620	µg/g	100.0	60-120	
Ethylbenzene	ND	< 200		850	991	µg/g	85.8	60-120	
Ethylene Glycol	ND	< 200		542	503	µg/g	107.8	60-120	
Ethylene Oxide	ND	< 1		0.705	1	µg/g	70.5	50-150	
Heptane	ND	< 200		1510	1630	µg/g	92.6	60-120	
Hexane	ND	< 30		210	189	µg/g	111.1	60-120	
Isobutane	ND	< 200		890	766	µg/g	116.2	60-120	
Isopropyl Acetate	ND	< 200		1590	1650	µg/g	96.4	60-120	
m,p-Xylene	ND	< 200		870	994	µg/g	87.5	60-120	
Methanol	ND	< 200		2070	1630	µg/g	127.0	60-120	Q1
Methylethylketone	ND	< 500		1590	1610	µg/g	98.8	50-150	
o-Xylene	ND	< 200		888	984	µg/g	90.2	60-120	
Pentane	ND	< 200		1770	1640	µg/g	107.9	60-120	
Propane	ND	< 200		644	566	µg/g	113.8	60-120	
Propyl Acetate	ND	< 500		1430	1620	µg/g	88.3	50-150	
Tetrahydrofuran	ND	< 100		490	516	µg/g	95.0	60-120	
Toluene	ND	< 100		458	514	µg/g	89.1	60-120	


 Revision: 2 Document ID: 7087
 Legacy ID: CFL-E33Effective:

QC - Sample Duplicate
Sample ID: 26-008659-0001

Analyte	SR Result	SD Result	LOQ	Units	RPD	Limits	Accept/Fail	Notes
1,1-Dichloroethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,1-Dichloroethene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-Dichloroethene, trans-	ND	ND	1	µg/g	0.0	< 20	Acceptable	
1,2-dimethoxyethane	ND	ND	50	µg/g	0.0	< 20	Acceptable	
1,4-Dioxane	ND	ND	100	µg/g	0.0	< 20	Acceptable	
1-Butanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2,2-Dimethylpropane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2,3-Dimethylbutane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Butanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Ethoxyethanol	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-methyl-1-propanol	ND	ND	500	µg/g	0.0	< 20	Acceptable	
2-Methylbutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
2-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
2-Propanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
3-Methylpentane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Acetone	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Acetonitrile	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Benzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Butane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Butyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Carbon Tetrachloride	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Chlorobenzene	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Cumene	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Cyclohexane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Dichloromethane	ND	ND	1	µg/g	0.0	< 20	Acceptable	
DMSO	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Ethanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethyl Ether	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylbenzene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Glycol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Ethylene Oxide	ND	ND	1	µg/g	0.0	< 20	Acceptable	
Heptane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Hexane	ND	ND	30	µg/g	0.0	< 20	Acceptable	
Isobutane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Isopropyl Acetate	ND	ND	200	µg/g	0.0	< 20	Acceptable	
m,p-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methanol	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Methylethylketone	ND	ND	500	µg/g	0.0	< 20	Acceptable	
o-Xylene	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Pentane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propane	ND	ND	200	µg/g	0.0	< 20	Acceptable	
Propyl Acetate	ND	ND	500	µg/g	0.0	< 20	Acceptable	
Tetrahydrofuran	ND	ND	100	µg/g	0.0	< 20	Acceptable	
Toluene	ND	ND	100	µg/g	0.0	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

µg/g - Microgram per gram or ppm


Laboratory Quality Control Results

J AOAC 2015 V98-6

Batch ID: 2605865

Analyzed: 07/30/2026 11:12 AM

Laboratory Control Sample

Analyte	Result	Spike	Units	% Rec	Limits	Evaluation	Notes
CBDVA	0.0276	0.0295	%	93.7	80.0 - 120	Acceptable	
CBDV	0.0272	0.0287	%	95.1	80.0 - 120	Acceptable	
CBDA	0.0301	0.0315	%	95.6	90.0 - 110	Acceptable	
CBGA	0.0299	0.0315	%	95.0	80.0 - 120	Acceptable	
CBG	0.0266	0.0283	%	94.1	80.0 - 120	Acceptable	
CBD	0.0283	0.0293	%	96.6	90.0 - 110	Acceptable	
d9THC	0.0314	0.0311	%	101	90.0 - 110	Acceptable	
d8THC	0.0264	0.0293	%	90.0	90.0 - 110	Acceptable	
CBC	0.0274	0.0293	%	93.5	80.0 - 120	Acceptable	
THCA	0.0313	0.0329	%	95.1	90.0 - 110	Acceptable	
CBCA	0.0304	0.0325	%	93.7	80.0 - 120	Acceptable	

Method Blank

Analyte	Result	LOQ	Units	Limits	Evaluation	Notes
CBDVA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBDV	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBDA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBGA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBG	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBD	<LOQ	0.00320	%	< 0.00320	Acceptable	
d9THC	<LOQ	0.00320	%	< 0.00320	Acceptable	
d8THC	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBC	<LOQ	0.00320	%	< 0.00320	Acceptable	
THCA	<LOQ	0.00320	%	< 0.00320	Acceptable	
CBCA	<LOQ	0.00320	%	< 0.00320	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent


Laboratory Quality Control Results

J AOAC 2015 V98-6 Batch ID: 2605865 Analyzed: 07/30/2026 11:12 AM

Sample Duplicate

Sample ID: 26-008994-0003

Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBDV	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00321	%	NA	< 10	Acceptable	
CBGA	0.0107	0.0108	0.00321	%	0.912	< 20	Acceptable	
CBG	0.0451	0.0455	0.00321	%	0.784	< 20	Acceptable	
CBD	0.0176	0.0175	0.00321	%	0.631	< 10	Acceptable	
d9THC	<LOQ	<LOQ	0.00321	%	NA	< 10	Acceptable	
d8THC	<LOQ	<LOQ	0.00321	%	NA	< 10	Acceptable	
CBC	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00321	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.00321	%	NA	< 20	Acceptable	

Abbreviations

 ND - None Detected at or above MRL
 RPD - Relative Percent Difference
 LOQ - Limit of Quantitation

Units of Measure:

% - Percent